



LIMITED WARRANTY

The manufacturer warrants its products to be free from defects in material and workmanship for 12 months* from date of shipment to the original consumer purchaser. This warranty covers any parts furnished from the manufacturer's factory but does not include labor of any kind and materials not furnished by the manufacturer or any charges for any such labor or materials.

The limited warranty is void if the product is subjected to misuse, negligence, or operating conditions other than those for which such equipment was designed, or has been repaired or altered outside the factory of the manufacturer, or when chemicals or any ingredients other than approved permanent-type antifreeze, designed and sold solely for radiator use, are used in the radiator. This warranty does not cover the physical or chemical effects of any corrosive substance in the operating environment or the equipment. This warranty is extended to and enforceable by only the original consumer purchaser.

THE MANUFACTURER WARRANTS ITS PRODUCTS TO BE FREE FROM ALL DEFECTS IN MATERIAL AND WORKMANSHIP, AS LIMITED HEREIN, AND SHALL BE IN LIEU OF AND EXCLUSIVE OF ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Claims for internal engine damage due to overheating will be denied. All vehicles and stationary equipment have warning lights and gauges to warn an operator of overheating conditions long before internal engine damage would occur. The manufacturer shall not be responsible for engine damage due to operator negligence.

Purchaser's sole remedy for breach of this warranty, exclusive of all other remedies provided by law, shall be limited to repair or replacement of any part or parts which shall, within 12 months from date of shipment to the original consumer purchaser, be returned to the place of original purchase or to the Warranty Department of the manufacturer, with all transportation expenses prepaid by purchaser, and which the examination by the manufacturer, or its designated agent, shall disclose to have been defective. Purchaser's remedy does not include reimbursement for any expenses incurred for labor or material charges incident to the replacement, removal, or installation of any radiator, radiator core or component part, towing charges, rental of replacement vehicle, injuries to persons or property and any other special, incidental, consequential or punitive damages. An original purchase / installation receipt is required to file a warranty claim.

THE MANUFACTURER IN NO EVENT SHALL BE LIABLE TO THE PURCHASER FOR DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES OR LOSS OF PRODUCTION OR LOSS OF PROFITS OR CLAIMS OF THIRD PARTIES AGAINST THE PURCHASERS, RESULTING FROM ANY CAUSE WHATSOEVER, INCLUDING THOSE RESULTING FROM THE ORDER OR USE OF THE MANUFACTURER'S PRODUCTS, AND THE MANUFACTURER'S SOLE LIABILITY TO THE PURCHASER FOR ANY CAUSE OF ACTION, WHETHER BASED UPON NEGLIGENCE, CONTRACT OR STRICT LIABILITY, SHALL BE THE REPAIR OR REPLACEMENT REMEDY SET FORTH IN THE PRECEDING PARAGRAPH.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state. The manufacturer neither assumes nor authorizes any person to assume for it any obligation or liability other than as herein expressly stated.

ITEMS THAT WILL VOID YOUR WARRANTY:

- a) Improper Installation – Damage as a result of improper or incomplete installation or abuse by the installer.
- b) Stripped Threads – Cross threading any fitting that result in damage to the threads: includes transmission and engine oil cooler lines, drain cocks, or sensors.
- c) Intentional Damage – Any damage that is not caused by a manufacturing defect.
- d) Improper Application – Use of the radiator in a manner not specified by the manufacturer.
- e) Repairs – Any attempt to repair the radiator in any way will void the warranty.
- f) Improper Coolant – Damage to the radiator caused by the use of a coolant or coolant mixture not in accordance with the vehicle manufacturers recommendation. NOTE: The same kind of coolant must be used to replace the original coolant in order to avoid potential engine component damage as well as radiator damage. Refer to the owner's manual for the type of coolant used in your vehicle.
- g) Chemical Damage – Damage to the radiator as a result of the use of improper chemicals that may have been added to the cooling system (including improper anti-freeze coolant).
- h) Electrolysis – Damage to the radiator caused by stray or unchecked voltage in the cooling system. As little as 0.1V of stray voltage can result in cooling system damage. Improper installation of any add-on electrical devices or equipment (for example: alarms, remote starters, stereo amplifiers, winches, plow lift motors,

etc.). Poor or improper grounding of the add-on electrical equipment can result in premature radiator failure.

A NOTE OF CAUTION: If you are replacing an aluminum radiator with a new aluminum radiator, items f, g & h above are extremely critical. Aluminum materials are very sensitive to the use of improper coolants and chemicals and will corrode quickly if the coolant chemical make up is out of specification. An indication of the correct chemical balance can be achieved by testing the coolant for its pH level: it should be in the range of 7.7 to 11. Additionally, stray voltages at very small levels (0.1 volts and above) can damage an aluminum radiator, sometimes within weeks of installation.

APPENDIX