# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

#### **1** Identification

#### Product identifier

· Trade name: Pentofrost SF

· Recommended use and restriction on use

· Recommended use: Coolant / Anti-freeze.

· Restrictions on use: Contact manufacturer/supplier

# Details of the supplier of the Safety Data Sheet Manufacturer/Supplier: CRP Industries 35 Commerce Dr.

Cranbury, NJ 08512 (609) 578-4100 info@crpindustries.com

# · Emergency telephone number:

ChemTel Inc. (800)255-3924, +1 (813)248-0585

# 2 Hazard(s) identification

# <sup>•</sup> Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

## <sup>·</sup> Label elements

 • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
 • Hazard pictograms:



· Signal word: Warning

#### · Hazard statements:

H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

## · Precautionary statements:

- P260 Do not breathe mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
- P314 Get medical advice/attention if you feel unwell.
- P330 Rinse mouth.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Cont'd. on page 2)

# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentofrost SF

(Cont'd. of page 1)

• NFPA ratings (scale 0 - 4)

Health = 1 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

 Health
 Health = \*1

 Fire
 Fire = 1

 REACTIVITY
 Reactivity = 0

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

# · Components:

Components.	
107-21-1 ethylene glycol	>80%
🐼 STOT RE 2, H373	
STOT RE 2, H373 Acute Tox. 4, H302	
1310-73-2 sodium hydroxide	0.1-<0.5%
🔗 Met. Corr.1, H290; Skin Corr. 1A, H	1314; Eye Dam. 1, H318
• Additional information: For the wording of the list	sted Hazard Statements refer to section 16.

# 4 First-aid measures

## <sup>•</sup> Description of first aid measures

#### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

# · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

# After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

- Headache Cramp Thirst Dizziness
- Nausea
- Acidosis
- Disorientation

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Trade name: Pentofrost SF

Revision: 12/13/2016

(Cont'd. of page 2)

· Danger:

Harmful if swallowed.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. Indication of any immediate medical attention and special treatment needed:

Contains ethylene glycol. Consult literature for specific antidotes.

Monitor circulation, possible shock treatment.

Medical supervision for at least 48 hours.

# 5 Fire-fighting measures

## • Extinguishing media

- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.

#### Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters

## · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

## • Additional information:

Cool endangered receptacles with water spray.

No relevant information available.

## 6 Accidental release measures

## <sup>•</sup> Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

## • Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

**Reference to other sections** 

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentofrost SF

(Cont'd. of page 3)

# 7 Handling and storage

# <sup>.</sup> Handling

# • Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

· Information about protection against explosions and fires: No special measures required.

# · Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. • Specific end use(s) No relevant information available.
- opecine end use(s) no relevant information available.

# 8 Exposure controls/personal protection

Control	parameters
001101	paramotoro

Components w	ith limit values that require monitoring at the workplace:
107-21-1 ethyle	ne glycol
TLV (USA)	Short-term value: NIC-127* NIC-10** mg/m³, NIC-50* ppm Long-term value: NIC-63.5* mg/m³, NIC-25* ppm Ceiling limit value: (100) mg/m³ (H); *inh. fraction + vapor,P:**inh. fraction, H
EL (Canada)	Short-term value: 20** mg/m <sup>3</sup> Long-term value: 10** mg/m <sup>3</sup> Ceiling limit value: 100* mg/m <sup>3</sup> , 50*** ppm *Aerosol; **Particulate; ***Vapour
EV (Canada)	Ceiling limit value: 100 mg/m³
LMPE (Mexico)	Ceiling limit value: 100* mg/m³ A4, *solo aerosol
1310-73-2 sodi	um hydroxide
PEL (USA)	Long-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit value: 2 mg/m³
TLV (USA)	Ceiling limit value: 2 mg/m³
EL (Canada)	Ceiling limit value: 2 mg/m³
EV (Canada)	Ceiling limit value: 2 mg/m³
LMPE (Mexico)	Ceiling limit value: 2 mg/m³
	(Cont'd. on page s

# Printing date: 12/13/2016

Revision: 12/13/2016

Trad

ade name: Pentofrost SF
(Cont'd. of page 4)
· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
• Engineering controls: Provide adequate ventilation.
· Breathing equipment:
Not required under normal conditions of use.
Use suitable respiratory protective device when aerosol or mist is formed.
For spills, respiratory protection may be advisable.
NIOSH or EN approved organic vapor respirator equipped with a dust/mist prefilter should be used.
· Protection of hands:
Gloves not required under normal conditions of use.
Wear protective gloves to handle contents of damaged or leaking units.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the
preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the
degradation
· Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of
quality and varies from manufacturer to manufacturer. As the product is a preparation of several
substances, the resistance of the glove material can not be calculated in advance and has therefore to be
checked prior to the application.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to
be observed.
· For the permanent contact gloves made of the following materials are suitable:
Butyl rubber, BR
Neoprene gloves
Nitrile rubber, NBR
· Eye protection:
Safety glasses
Unity glasses
Follow relevant national guidelines concerning the use of protective eyewear.
Body protection:
Not required under normal conditions of use.
Protection may be required for spills.
Limitation and supervision of exposure into the environment
No relevant information available.
· Risk management measures
See Section 7 for additional information.
(Cont'd. on page 6)

Printing date: 12/13/2016

Trade name: Pentofrost SF

No relevant information available.

9 Physical and chemical proper	rties
<ul> <li>Information on basic physical ar</li> <li>Appearance:</li> </ul>	nd chemical properties
Form:	Liquid
Color:	Red
· Odor:	Light
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	7.9 (50% solution)
• Melting point/Melting range:	Not determined.
<ul> <li>Boiling point/Boiling range:</li> </ul>	175 °C (347 °F)
· Flash point:	128 °C (262 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	>260 °C (>500 °F)
· Decomposition temperature:	Not determined.
<ul> <li>Danger of explosion:</li> </ul>	Product does not present an explosion hazard.
· Explosion limits	
Lower:	3.2 Vol %
Upper:	53.0 Vol %
<ul> <li>Vapor pressure at 20 °C (68 °F):</li> </ul>	0.1 hPa
<ul> <li>Density at 20 °C (68 °F):</li> </ul>	1.13 g/cm³ (9.43 lbs/gal)
Relative density:	Not determined.
· Vapor density:	Not determined.
· Evaporation rate:	Not determined.
<ul> <li>Solubility in / Miscibility with</li> </ul>	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
<sup>•</sup> Other information	No relevant information available.

# 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Cont'd. on page 7)

Revision: 12/13/2016

(Cont'd. of page 5)

#### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Trade name: Pentofrost SF

Revision: 12/13/2016

(Cont'd. of page 6)

\* Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No relevant information available.

· Incompatible materials No relevant information available.

· Hazardous decomposition products Possible in traces.

# 11 Toxicological information

<sup>·</sup> Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

107-21-1 ethylene glycol

Oral LD50 5840 mg/kg (rat)

Dermal LD50 9530 mg/kg (rabbit)

Primary irritant effect:

• On the skin: Slight irritant effect on skin and mucous membranes.

• On the eye: Based on available data, the classification criteria are not met.

· Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity): Harmful if swallowed.

· Repeated dose toxicity:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

· Carcinogenicity: Based on available data, the classification criteria are not met.

• **Reproductive toxicity:** Based on available data, the classification criteria are not met.

• STOT-single exposure: Based on available data, the classification criteria are not met.

· STOT-repeated exposure:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral. **Aspiration hazard:** Based on available data, the classification criteria are not met.

(Cont'd. on page 8)

# acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

## Trade name: Pentofrost SF

(Cont'd. of page 7)

# **12 Ecological information**

# · Toxicity

· Aquatic toxicity No relevant information available.

- Persistence and degradability Moderately /partly biodegradable
- · Bioaccumulative potential: Does not accumulate in organisms
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# <sup>•</sup> Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

· Other adverse effects No relevant information available.

# **13 Disposal considerations**

# <sup>·</sup> Waste treatment methods

#### · Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

## <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

• Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
<ul> <li>UN proper shipping name</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Not regulated.	
<ul> <li>Transport hazard class(es)</li> </ul>		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
<ul> <li>Packing group</li> <li>DOT, ADR, IMDG, IATA</li> </ul>	Not regulated.	
<ul> <li>Environmental hazards</li> <li>Marine pollutant:</li> </ul>	No	
		(Cont'd. on page 9)

Printing date: 12/13/2016

Trade name: Pentofrost SF

Revision: 12/13/2016

(Cont'd. of page 8)

· Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

# **15 Regulatory information**

United States (USA) SARA	
Section 302 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
107-21-1 ethylene glycol	
TSCA (Toxic Substances Control Act)	
All ingredients are listed.	
Proposition 65 (California)	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency):	
None of the ingredients are listed.	
ARC (International Agency for Research on Cancer):	
None of the ingredients are listed.	
NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the ingredients are listed.	
Canadian Domestic Substances List (DSL):	
All ingredients are listed.	

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentofrost SF

(Cont'd. of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

	This information is based on our present knowledge. However, this shall not constitute a guarantee Iny specific product features and shall not establish a legally valid contractual relationship.
D	Date of preparation / last revision 12/13/2016 / -
AMDACNHLLPVZOLNASES	Abbreviations and acronyms: DR: European Agreement concerning the International Carriage of Dangerous Goods by Road MDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) IFPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) C50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PTB: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IIOSH: National Institute for Occupational Safety DSHA: Occupational Safety & Health DLo: Lowest Lethal Dose Observed Met. Corr. 1: Corrosive to metals – Category 1 cute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1 TOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Sources
C 1 T T	SDS Prepared by: ChemTel Inc. 305 North Florida Avenue Fampa, Florida USA 33602-2902 Foll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Vebsite: www.chemtelinc.com