Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

1 Identification

Revision: 12/13/2016

| Product | identifier |
|---|---|
| Trade na | me: Pentosin CHF11S Hydraulic Fluid |
| | ended use and restriction on use ended use: |
| Hydraulic | |
| | ons on use: |
| Contact m | nanufacturer/supplier |
| | of the supplier of the Safety Data Sheet |
| CRP Indu | curer/Supplier: |
| 35 Comm | |
| | NJ 08512 |
| (609) 578 | |
| info@crpi | ndustries.com |
| | cy telephone number: |
| ChemTel | |
| (000)200- | 3924, +1 (813)248-0585 |
| | ation of the substance or mixture |
| | x. 4 H332 Harmful if inhaled. |
| | 1 H304 May be fatal if swallowed and enters airways. |
| | |
| Label ele | ements I elements |
| | ict is classified and labeled according to the Globally Harmonized System (GHS) |
| | |
| | ictograms: |
| | |
| \mathbf{V} | |
| GHS07 G | HS08 |
| | |
| Signal wo | ord: Danger |
| Signal wo | |
| Signal we Hazard st H332 Har H304 May | ord: Danger tatements: mful if inhaled. / be fatal if swallowed and enters airways. |
| Signal wo Hazard si H332 Har H304 May Precautio | ord: Danger tatements: mful if inhaled. / be fatal if swallowed and enters airways. onary statements: |
| Signal we Hazard si H332 Har H304 May Precautic P261 | ord: Danger tatements: mful if inhaled. / be fatal if swallowed and enters airways. onary statements: Avoid breathing mist/vapors/spray. |
| Signal we Hazard si H332 Har H304 May Precautic P261 P271 | ord: Danger tatements: mful if inhaled. / be fatal if swallowed and enters airways. onary statements: |

- P312 Call a POISON CENTER/doctor if you feel unwell. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- Do NOT induce vomiting. P331
- Store locked up. P405
- Dispose of contents/container in accordance with local/regional/national/international P501 regulations.

(Cont'd. on page 2)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentosin CHF11S Hydraulic Fluid (Cont'd. of page 1) • NFPA ratings (scale 0 - 4) Health = 1 Fire = 1Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH 1 Health = 1 1 Fire = 1 Reactivity 0 Reactivity = 0 **3** Composition/information on ingredients · Chemical characterization: Mixtures · Components: >60% 68649-11-6 1-decene, dimer, hydrotreated 🕹 Asp. Tox. 1, H304 Acute Tox. 4, H332 • Additional information: For the wording of the listed Hazard Statements refer to section 16. 4 First-aid measures Description of first aid measures · General information: No special measures required. · After inhalation: Supply fresh air; consult doctor in case of complaints. · After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. · Most important symptoms and effects, both acute and delayed: Gastric or intestinal disorders · Danger: May be fatal if swallowed and enters airways. Harmful if inhaled. May be harmful in contact with skin. Indication of any immediate medical attention and special treatment needed: If medical advice is needed, have product container or label at hand.

(Cont'd. on page 3)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentosin CHF11S Hydraulic Fluid

(Cont'd. of page 2)

5 Fire-fighting measures

Extinguishing media

· Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

Gaseous extinguishing agents

• For safety reasons unsuitable extinguishing agents: Water

- Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters

· Protective equipment:

- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- Additional information: No relevant information available.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

Precautions for safe handling:

Prevent formation of aerosols.

Avoid the formation of oil haze.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and receptacles: No special requirements.

(Cont'd. on page 4)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentosin CHF11S Hydraulic Fluid

(Cont'd. of page 3)

• **Information about storage in one common storage facility:** Store away from foodstuffs.

Store away from oxidizing agents.

• Further information about storage conditions: None.

· Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

· Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: No relevant information available.
- Engineering controls: Provide adequate ventilation.

· Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

Protection of hands:

Gloves not required under normal conditions of use.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

• Body protection: Oil resistant protective clothing

• Limitation and supervision of exposure into the environment No special requirements.

• Risk management measures No special requirements.

(Cont'd. on page 5)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentosin CHF11S Hydraulic Fluid

(Cont'd. of page 4)

| Information on basic physical a | and chemical properties | |
|--------------------------------------|---|--|
| Appearance: Form: | | |
| Color: | Fluid Greenish-Yellow. | |
| Odor: | Mineral-oil-like | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Melting point/Melting range: | Not determined. | |
| Boiling point/Boiling range: | Not determined. | |
| Flash point: | >150 °C (>302 °F) (Estimate) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Auto-ignition temperature: | Not determined. | |
| Decomposition temperature: | Not determined. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits | | |
| Lower: | 0.6 Vol % | |
| Upper: | 6.5 Vol % | |
| Vapor pressure: | Not determined. | |
| Density at 20 °C (68 °F): | 0.83 g/cm³ (6.926 lbs/gal) | |
| Relative density: | Not determined. | |
| Vapor density: | Not determined. | |
| Evaporation rate: | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| Partition coefficient (n-octanol/wat | ter): Not determined. | |
| Viscosity | | |
| Dynamic: | Not determined. | |
| Kinematic: | 19 mm²/sec | |
| Other information | No relevant information available. | |

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability:

• Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

(Cont'd. on page 6)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentosin CHF11S Hydraulic Fluid

(Cont'd. of page 5)

Conditions to avoid No relevant information available.

· Incompatible materials No relevant information available.

Hazardous decomposition products

Possible in traces.

Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

· On the skin: Based on available data, the classification criteria are not met.

- On the eye: Based on available data, the classification criteria are not met.
- Sensitization: No sensitizing effects known.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

• NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

- Probable route(s) of exposure:
- Ingestion.
- Inhalation.

Eye contact.

Skin contact.

• Acute effects (acute toxicity, irritation and corrosivity):

Harmful if inhaled.

May be fatal if swallowed and enters airways.

May be harmful in contact with skin.

• **Repeated dose toxicity:** No relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- **STOT-single exposure:** Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: May be fatal if swallowed and enters airways.

12 Ecological information

[·] Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability Not easily biodegradable
- · Bioaccumulative potential: No relevant information available.

(Cont'd. on page 7)

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentosin CHF11S Hydraulic Fluid

(Cont'd. of page 6)

· Mobility in soil: No relevant information available.

Ecotoxical effects:

· Remark:

Due to mechanical actions of the product (e.g. agglutinations), damages may occur.

The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.

[•] Additional ecological information

· General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Avoid transfer into the environment.

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

• Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Product is recyclable as a waste oil. Deliver unused and/or contaminated product to waste oil collectors. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

Uncleaned packagings

• **Recommendation:** Disposal must be made according to official regulations. • **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information · UN-Number · DOT, ADR, IMDG, IATA Not regulated. · UN proper shipping name · DOT. ADR. IMDG. IATA Not regulated. Transport hazard class(es) · DOT, ADR, IMDG, IATA · Class Not regulated. • Packing group DOT, ADR, IMDG, IATA Not regulated. · Environmental hazards Marine pollutant: No (Cont'd. on page 8)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Trade name: Pentosin CHF11S Hydraulic Fluid

Revision: 12/13/2016

(Cont'd. of page 7)

· Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

15 Regulatory information

| mixture · United States (USA) · SARA | |
|---|------------------|
| · Section 302 (extremely hazardous substances): | |
| None of the ingredients are listed. | |
| · Section 355 (extremely hazardous substances): | |
| None of the ingredients are listed. | |
| · Section 313 (Specific toxic chemical listings): | |
| None of the ingredients are listed. | |
| · TSCA (Toxic Substances Control Act) | |
| All ingredients are listed. | |
| · Proposition 65 (California) | |
| · Chemicals known to cause cancer: | |
| None of the ingredients are listed. | |
| • Chemicals known to cause reproductive toxicity for females: | |
| None of the ingredients are listed. | |
| · Chemicals known to cause reproductive toxicity for males: | |
| None of the ingredients are listed. | |
| · Chemicals known to cause developmental toxicity: | |
| None of the ingredients are listed. | |
| · Carcinogenic categories | |
| · EPA (Environmental Protection Agency): | |
| None of the ingredients are listed. | |
| IARC (International Agency for Research on Cancer): | |
| None of the ingredients are listed. | |
| · NIOSH-Ca (National Institute for Occupational Safety and Health): | |
| None of the ingredients are listed. | |
| · Canadian Domestic Substances List (DSL): | |
| All ingredients are listed. | (Cont'd. on page |

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 12/13/2016

Revision: 12/13/2016

Trade name: Pentosin CHF11S Hydraulic Fluid

(Cont'd. of page 8)

* Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

| | tion is based on our present knowledge. However, this shall not constitute a guarantee product features and shall not establish a legally valid contractual relationship. |
|---|--|
| | paration / last revision 12/13/2016 / - |
| ADR: Europea IMDG: Interna DOT: US Dep IATA: Internati CAS: Chemica NFPA: Nationa HMIS: Hazard LC50: Lethal of PBT: Persister vPvB: very Pe NIOSH: Nation OSHA: Occup LDLo: Lowest Acute Tox. 4: J | Agreement concerning the International Carriage of Dangerous Goods by Road onal Maritime Code for Dangerous Goods timent of Transportation nal Air Transport Association Abstracts Service (division of the American Chemical Society) Fire Protection Association (USA) us Materials Identification System (USA) ncentration, 50 percent se, 50 percent , Bioaccumulative and Toxic istent and very Bioaccumulative Il Institute for Occupational Safety ional Safety & Health ethal Dose Observed cute toxicity – Category 4 biration hazard – Category 1 |
| Tampa, Flo Toll Free N | |